		 		•
F	۱D			

# EDGEWOOD ARSENAL SPECIAL PUBLICATION

**EASP 1200-2** 

BIPOTENTIOMETRY IN ORGANIC REDOX SYSTEMS

I. OXIDATION OF AROMATIC COMPOUNDS
IN TRIFLUOROACETIC ACID

by

Harvey W. Yurow Samuel Sass

**April 1972** 



DEPARTMENT OF THE ARMY
EDGEWOOD ARSENAL
Chemical Laboratory
Edgewood Arsenal, Maryland 21010



14

# Distribution Statement

Approved for public release; distribution unlimited. Not available for sale to the public.


# Disclaimer

THE EXPERIMENT OF THE RESIDENCE OF THE PROPERTY OF THE PROPERT

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

# Disposition

Destroy this report when no longer needed. Do not return it to the originator.



# **UNCLASSIFIED**

Sccurity Classification	المراوات الموامرين والمراوات	والمراب المناب المراب والمراب						
	CONTROL DATA - R	=						
(Security classification of title, body of abstract and in the Origina Ting Activity (Corporate author)	ndezing annotation must be d		EVERTY CLASSIFICATION					
CO, Edgewood Arsenal		1	SSIFIED					
ATTN: SMUEA-R-CRA		26. GROUP						
Edgewood Arsenal, Maryland 21010	NA							
3 REPORT TITLE			. =					
BIPOTENTIOMETRY IN ORGANIC RE		I. OXID	ATION OF AROMATIC					
COMPOUNDS IN TRIFLUOROACETIC	ACID							
4 DESCRIPTIVE NOTES (Type of report and inclusive dates)								
This was started in October 1969 and completed in June 1970.								
s. AUTHORIS) (Firet name, middle initial, fast name)								
Harvey W. Yurow and Samuel Sass								
,								
4. REPORT DATE	78. TOTAL NO. O	F PAGES	78. NO. OF MEFS					
April 1972	15		13					
M. CONTRACT OR GRANT NO.	M. ORIGINA"OR	S REPORT NUM	DER(S)					
B, PROJECY NO.	EASP	EASP 1200-2						
- Task No. 1B562602AD1002	ST. CTHER REPO	RT MO(S) (Any o	ther numbers that may be sesigned					
	this report)	ite is to the confidence of						
d.	1							
10 CISTRIBUTION STATEMENT								
Approved for public release; distribut	ion unlimited. 1	Vot availab	ole for sale to the					
public.	•							
11. SUPPLEMEN 'ARY NOTES	12. SPONSORING	MILITARY ACT	VITY					
Chemical toxic compounds, analytical								
endies	-							
Ringtontiamatric titrations of marinus	mal							
Bipotentiometric titrations of various	polynuciear aror	natic nyar	ocarbons, benzenes					
substituted with electron-donating gro fluoroacetic acid - dichloromethane w	ups, and π-exces	ssive neter	roaromatics in tri-					
resulted in novel titration curves. Ea	in read (IV) or c	mant Hans	acetate solution					
formation of a potential "saw tooth,"								
redox couples; the final titration curve	naicaing iormai es had one or ma	non and de	al minima magicae					
hefore the end-point. In almost all in	stances the titra	tion curve	for a given aromatic					
compound is characteristic, somewha	t in the manner of	of a spectr	ophotometric curve					
	e in the manner c	n a specii	ophotometric carve.					
i4. KEYWORDS								
Bipotentiometry Lead tet	raacetate							
Trifluoroacetic acid Oxidatio								
Aromatic compounds Depolari	ization							
Radical cations								

DD .....

REPLACES DE PORM 1473, 1 JAN EJ, WHICH I

UNCLASSIFIED

15

#### EDGEWOOD ARSENAL SPECIAL PUBLICATION

#### EASP 1200-2

#### BIPOTENTIOMETRY IN ORGANIC REDOX SYSTEMS

I. OXIDATION OF AROMATIC COMPOUNDS IN TRIFLUOROACETIC ACID

by

Harvey W. Yurow Samuel Sass

Analyticai Chemistry Branch

April 1972

HEALTHANDERSON CONTROL CONTROL

Approved for public release; distribution unlimited. Not available for sale to the rublic.

Task 1B562602AD1002

DEPARTMENT OF THE ARMY
EDGEWOOD ARSENAL
Chemical Laboratory
Edgewood Arsenal, Maryland 21010

### FOREWORD

The work described in this report was authorized under Task 1B562602AD1002, Chemical Toxic Compounds, Analytical Studies. The work was started in October 1969 and completed in June 1970.

This report is reprinted from the Analytica Chimica Acta 52, 537-544 (1970); copyright 1970 by the Elsevier Publishing Company, Amsterdam. Letter of permission (from Professor Philip A. West, Coats Chemical Laboratories, College of Chemistry and Physics) to use this copyrighted material is on file in the Office of the Counsel, Edgewood Arsenal, Maryland 21010. Reproduction of the copyrighted material in whole or in part is prohibited except with permission of the copyright owner. Reprints can be obtained from Dr. Harvey W. Yurow or Mr. Samuel Sass, Chemical Laboratory, Edgewood Arsenal, Maryland 21010.

Designation of the contract of

# DIGEST

Bipotentiometric titrations of various polynuclear aromatic hydrocarbons, benzenes substituted with electron-donating groups, and  $\pi$ -excessive heteroaromatics in trifluoroacetic acid - dichloromethane with lead (IV) or cobalt (III) acetate solution resulted in novel titration curves. Each reagent increment usually resulted in the formation of a potential "saw tooth," indicating formation and decay of reversible redox couples; the final titration curves had one or more potential minima regions before the end-point. In almost all instances the titration curve for a given aromatic compound is characteristic, somewhat in the manner of a spectrophotometric curve.

on a constitution of the c

TO THE PERSONAL AND ASSOCIATED AND ASSOCIATED TO THE PERSONAL PROPERTY AND THE PERSONAL PROPERTY OF THE PERSONAL PROPERTY

#### BIPOTENTIOMETRY IN ORGANIC REDOX SYSTEMS

PART I, OXIDATION OF AROMATIC COMPOUNDS IN TRIFLUOROACETIC ACID

HARVEY W. YUROW AND SAMUEL SASS Research Laboratories, Edgewood Arsenai, Md 21010 (U.S.A.) (Received June 22nd, 1970)

Intense colors have been observed in spot-test reactions of polynuclear aromatic hydrocarbons exidized with lead(IV) acetate in trifluoroacetic acid (TFA)<sup>1</sup>. By analogy to electrochemical exiditions, it was postulated that these colors involved radical cation species<sup>2</sup>(<sup>3</sup>). If these species are sufficiently stable, then they might form electrochemically reversible redox couples that can be detected by means of bipotentiometry. This technique, which has been applied almost exclusively to inorganic systems<sup>1</sup>, makes use of a pair of platinum electrodes polarized with several microamperes of direct current. If an electrochemically irreversible substrate is reacted with a reversible titrant, then the potential between the two electrodes (one polarized, the other depolarized) remains high during the titration but drops sharply in the vicinity of the end-point when both electrodes are depolarized. An electrochemically reversible redox couple is one that can depolarize electrodes, because the relatively rapid rate of electron transfer maintains equilibrium at the electrodes.

Organic bipotentiometry, especially that for aromatic compounds, can differ from the above in that during the titration of irreversible substrate with irreversible oxidant, intermediate reversible redox species of short but appreciable half-lives are formed. This is especially true in a solvent medium of low basicity such as TFA.

#### EXPERIMENTAL

#### Reagents

Lead(IV) acetate was prepared from red lead(IV) oxide<sup>3</sup>, while cobalt(III) acetate was readily obtained from cobalt(II) acetate and lead(IV) acetate<sup>6</sup> in TFA. The solution of the lead(IV) salt, o.r. N in TFA, lost about 1°, titer per day, and the solid material slowly decomposed on standing, so that frequent standardization was required.

The oxidants were standardized with bromohydroquinene (K & E Labs), recrystallized from water and standardized with dichromate in aqueous solution using diphenylaminesulfonate indicator. The standardization of exidant, o.t. N in TFA was done potentiometrically in a 1:1 (v'v) mixture of TFA (Eastman) and dichioromethane rontaining o.o. M silver trifluoroacetate.

Aromatic compounds investigated were commercially available samples in the purest grades available. Stock solutions  $5.0 \cdot 10^{-2} M$  in dichloromethane were prepared fresh every other day.

#### Equipment

Potential measurements were made with a Peckman expanded-scale phaseter connected to a Sargent model MR recorder. Electrodes were made with 1-mm diameter silver or platmum wire. Direct current was provided from a step-down transformer with a selenium rectifier (2.3 V) and a series resistance (0.3 M $\Omega$ ).

#### Procedure

THE PERSON CHARLES TO BE DESCRIBED THE PERSON OF THE PERSO


The bipotentiemetric titration was performed in a 5-ml beaker with a microbar stirrer and a two-shole aluminum foit cop to minimize evaperation of the solvent mixture which was 1 ml of fFA, 0.50 ml of stock solution, and 0.5 ml of dichloromethane. The substrate concentration was 1.25-10<sup>-3</sup>  $M_{\odot}$  Air was not excluded from the system, which was run at ambient temperature. The electrodes were 5-cm lengths of platinum wire mounted in a polyethylene cap, spaced 1 mm apart and polarized with 7  $\mu$ A of applied direct current. Oxidant, 0.10 N in TFA, was introduced with a 2-ml Gilmont microburet in increments of 5  $\mu$ l, at 15-sec intervals. The chart speed was 0.5 m min  $^{4}$ .

For reasons of economy, the TFA was recovered from the expended solvent mixture by a simple fractionation.

#### RESCLUS AND DISCUSSION

#### Preliminary experiments

Inicial additions of oxidant to an aromatic substrate resulted in an almost instantaneous change in potential  $(\Delta V)$  between the polarized electrodes, followed



18 St. St. Torset.

Fig. 3. Bipotentisometric titration of 1-phraylmaphthalene with band(IV) acctate, a type 1 BM curve.

Fig. 2. Bipotentiometric titration of phensithrene with cofsilt(III) acetate,  $\tau$  type III S curve.

Av al. Chron. Acta, 52 (1979) 537 -544

by "decay" of potential to a new value. This increment was usually of the "saw-tooth" type. These increments went to make up titration curves that had one or more potential minima regions before the end-point (see Figs. 1-4).

The shape and magnitude of the increments as well as the shape of the titration curve for a given substrate were quite sensitive to a variety of parameters, some of which are considered in detail in this paper. The four major parameters were: co-solvent, exidant, applied current (more specifically current density) and delay time between additions. Because of the low solubility of many aromatics in TFA, a relatively inert co-solvent was required. Dichloromethane was found to be satisfactory and had the added advantage that TFA could be readily recovered by fractionation from mixtures with it. Other polyhalogen albanes could be substituted with noticeable change in increment shape. Benzene was too reactive to be a suitable solvent.

It was noted that lead(IV) and cobalt(III) oxidants gave only small potential drops in blank titrations, indicating a low degree of electrochemical reversibility and allowing successful titral ons to be made. With the various substrates, these two reagents were found to differ in two important ways. With almost all of the compounds tested, cobalt(III), a 1-equivalent oxidant, gave larger  $\Delta V$  values than lead(IV), a 2-equivalent oxidant. This effect was magnified in very dilute solution (substrate 1.25-20<sup>-4</sup> M). Also, markedly different type curves were often given by both oxidants with a given substrate. Manganese(III) behaved similarly to cobalt(III), while thallium(III) acetate reacted only with the most reactive substrates.

The current applied was 7  $\mu A$  (2.1 V/0.3 M $\Omega$ ), but because of high solution resistance, the actual value as measured with a microanumeter was only about half.




Fig. 4. Bipotentiometric titration of 1,2,3,4-diberganthraces, with colods (III) acetate, a type II AS curve.

Anal. Chim. Acts, 52 (1970) 537~541

TABLE I CLASSIFICATION OF BIPOTENTIOMETRIC CURVES FOR VARIOUS AROMATIC COMPGUNDS

lass		Compound	Classification		
			$Lead(IV)$ $\sigma$ tale	Cobalt(111) acetate	
 1.	Polynuclear aromatic	Naplithalene	1.33	11 BS	
••	hydrocarbons	Anthracene	H BS	I BS*	
	1. Linear	Naphthacene	1 1331	111 M	
	2. Angular anthracene	1,2-Benzanthracene	11 AS	H AS	
	2. Miguidi dittimeent	1,2,3,4 Dibenzanthracene	1 BS	II AS	
		1,2,5,6-Dibenzanthracene	I BS	II AS	
	3. Angular phenanthrene	I-h sganthrene	t As	111 S	
	3Sum premare	Chrysene	1 BM	IV S	
		3, 4-Benzophenanthrene	D AS	11.48	
	4. Condensed ring	Triphenylene	I B8	: BS	
	4. Condensed ing	Pyrene	1 BS	LBS	
		1,2-Benzopyrene	1 BS	I BS	
		3,4-Benzopyrene	UI M	111 M	
		Perylene	I BM	1 BM	
	5. Polyaryl	Biphenyl	1 AS	I BSa	
		p-Terphenyl	1 BS*	LB5*	
		1,1-Binaphthyl	1 BS	11 AS*	
		2,2-Bmaphthyl	H B8	H AS	
		1-Phenymaphthalene	1 BM2	III M	
		2-Phenylnaphthalene 0,10-Dipkenylanthracene	1 AM 11 BM	1 BS 11 BM	
	2 N . 1		I BS	I BM*	
	6. Non-alternant	Fluorene Fluoranthene	1 BM*	1 BM*	
		\cenaphthene	i BS	I BM*	
		Acenaphthylene	LAS	LBM	
		Azulene	1 AS	1 1331	
	7. Polyene	cis-Stilliene	LAM	II AS*	
	<b>,</b>	irans-Stilliene	LAS	11.1314	
	S. Miscellaneous	Biphenylene	1 BM*	I BM*	
	C. I. diture 1.1. manuar	Anisole	1.138	LBS	
11.	Substituted benzenes	Anisoie 2-Chloroanisole	11 18	1 185	
	1. Ethers	3-Chloroanisole	L' defined		
		4-Chloroanisole	11 AS*	1 BS*	
	2. Pherois	Phenol	1.531	1 BS	
	a. Therany	2-Chlorophenol	i AM	LAM	
		3-Chlorophenol	LAM	LAS	
		4-Chlorophenol	I AM	11 BM	
	3. Amines	Anilus	Ulstefined	Ill-define	
	J	2-Chloroaniline	1 AS	1 BM	
		3-Chloroanilme	111-defined		
		4-Chloroantline	111-defined		
		Diphenylamine	UBM	1 BM	
111.	η-Excessive	Thiopheae	1 BM	Hi-define	
••••	heteroace matics	Carbazole	1 1331	1 BM	
		Phenothiazine	H AM	н ул	
		Phenothioxin	1 1834	11 1331	
		Phenoxazine	ME $H$	н ам	

<sup>\*</sup> Relatively large AV increments.

Anal, Chim Acta, 52 (1970) 532 541

This value was just sufficient, under experimental conditions with the majority of compounds (anisoles and phenols required 3.5  $\mu$ A), to bring the pit meter needle on scale with the asymmetry control. Consequently, the scale included a 1.400 mV span between about +600 and +2000 mV. Smaller applied currents changed the  $\Delta V$  values somewhat but not the shape of the titration curves. With the same current (7  $\mu$ A and a larger ballast<sup>4</sup> load, 49 V/7 M $\Omega$ ) less well-defined curves were obtained than with the above. A 15-sec interval between titration additions and a chart speed of 0.5 in min<sup>-1</sup> were found to be optimal for the qualitative comparison of the compounds studied; but for quantitative studies, other values of current density, ballast load and interval between additions might be more suitable.

Other parameters that were found to affect the shape of increments included: (a) presence of added bases: such as water ( $\mathbf{100}$ ) in the solvent mixture, that combined with reactive intermediates, and (b) rapidity of reagent addition and stirring, which influenced  $\Delta V$  values.

Finally, it should be mentioned that inclusion of a third (reference) electrode<sup>4</sup>, consisting of a silver wire dipping into the titration mixture containing 0.01 M silver trifluoroacetate, gave different curves when reference and anode or reference and cathode potential difference was measured.

#### Classification of titration curves

Well-defined titration curves were considered to be those with an end-point break and, preferably, one or more potential minima. Certain compounds (e.g. aniline, and the  $\pi$ -deficient beteroaromatics—accidine, phenazine, and phenanthridine) gave "saw-tooth" increments but poorly defined curves which lacked both potential minima and end-points.

Classification was based upon titration of fresh stock solutions of assumed relatively pure compounds. Solutions used over more than 1-2 days often gave significantly different results.

The curves for representative compounds of different classes of aromatic compounds with lead(IV) and cobalt(III) are classified in Table I. The curves, representative examples of which are given in Figs. 1-4, are classified on the following basis.

- 1. Whether the curve had I, II, III, etc. potential minima before the end-point. Potential minima were "troughs" in the titration curves formed by drawing a line connecting increments at their upper tips. With lead(IV) titrant almost all substrates gave a curve having a slight rise after the end-point, which for the purpose of classification was not considered a true potential minimum.
- 2. Whether the minimum potential was above (A) or below (B), that for the end-point for type I curves; or whether the first minimum was above (A) or below (B), that for the second for type II curves. Type III and IV curves were sufficiently rare that no further subdivision of this type was made.
- 3. Whether the curve was made up exclusively of "saw-tooth" increments (S) or included a significant number of mixed type increments (M), "Saw-tooth" increments were those where the internal angle of the "saw-tooth" was less than 90. Other increments were often encountered with angles between  $90^\circ$  and ca. 135°. Occasionally inverse increments resulted.

This classification (Table I) leads to the observation that for condensed poly-

Anal. Chim. Acta, 52 (1970) 537-544

nuclear aromatic hydrocarbons and four out of five  $\pi$ -excessive heteroaromatics studied, both oxidants gave curves of the same class type.

#### Quantitative relationships

Quantitative relationships among the various curves were not studied in any detail in this investigation but would include pragnitude of potential drop ( $\Delta V$ ), decay rates of reversible redox couples, and stoichiometry at potential minima and end-points. For these parameters, it would be necessary to control fairly closely such factors as temperature and speed of addition. However, it is noteworthy that under the experimental conditions used, a number of biaryls and p-substituted anisoles gave relatively large  $\Delta V$  values. Decay rates varied considerably (ca, o, t-t min half-lives), not only from compound to compound but even in various positions of a given titration curve. In many instances, increments in the ascending portion of a curve decayed more rapidly than those in the descending portion. Potential minima often did not correspond to integral oxidation equivalents, possibly indicating concurrent rather than sequential oxidation, For many of the curves, end-points were relatively gradual and non-stoichiometric, which is probably partly due to the non-equilibrium conditions employed. Further, reaction of substrate with oxygen in the air was observed with reactive hydrocarbons such as perylene or rubrene.

Almost all of the compounds examined gave vivid color transitions during the titrations. In a number of instances these changes corresponded to sharp changes in the bipotentiometric curves.

#### Oxidation mechanisms

For bipotentiometry and biamperometry electrochemically reversible redox couples are essential. In organic bipotentiometry in a relatively inert solvent, electrochemical reversibility and, consequently, the shape and size of the titration increments will depend essentially upon two equations:

$$Ar \rightleftharpoons Ar.^{+} + e^{-} \tag{1}$$

$$2Ar^* \rightarrow Ar + 2H^* \tag{2}$$

Oxidations involving loss of an electron tequ. (t)) are capable of being electrochemically reversible, while loss by substrate of a hydrogen atom. (except OH or NH), or a hydride ion generally renders them ureversible. Further, if the rate of dimerization of the radical cation is rapid (relatively unstable radical cation) compared to the rate of initial electron transfer—then reaction (1) will be rendered irreversible.

Electrochemical and/or chemical evidence indicates that for polynuclear aromatic hydrocarbons<sup>8</sup>, heteroaromatics<sup>8</sup>, and aromatic ethers<sup>9</sup>, initial oxidation gives the radical cations Ar.\* and Ar.O.R. respectively, while pheaols<sup>8,10</sup> give Ar.O. Amines oxidized electrochemically give Ar.NH<sub>2</sub><sup>8</sup>, and chemical oxidation produces Ar-NH<sup>11</sup>. These radical cations differ widely in instability with respect to dimetization. Relative stabilities can be estimated by Highest Filled Molecular Orbital calculations<sup>8</sup>. Radical cations from  $\pi$ -deficient heteroaromatics and andlines are particularly unstable<sup>8</sup>. In the current investigation, it was found that all of the examined polynuclear aromatic hydrocarbons, phenols (with cobalt(111) only), and aromatic

The contraction of the contracti

ethers gave well-defined titration curves, indicating that even the most unstable of these radical cations or cations were sufficiently stable to cause depolarization, while several anilines tested gave poorly defined curves (the o-chloro compound being an exception).

One may speculate on the relative size of the potential drops<sup>12</sup>. Since the titration solutions were stirred, mass transfer rates were relatively rapid and, as was observed, radical cation half-lives were of comparable duration to measurement times. Consequently, the electron transfer rate apparently controls the magnitude of  $\Delta V$ . Since very little information is available on organic electron transfer coefficients, meaningful discussion is not yet possible.

While the first step in the above oxidations is relatively straightforward, subsequent loss of electrons is more complicated. Stoichiometry for organic bipotentiometry indicated that two or more equivalents of oxidant were often involved. Possible reactions for polynuclear aromatic hydrocarbons include oxidation of dimer to radical cation Ar-Ar.  $\tau$  or to Ar-Ar2 or oxidation of radical cation to cation Ar2+13, reactions which may be concurrent or sequential. Further information could be obtained by coupling bipotentiometry with such techniques as spectrophotometry, electron spin resonance, or cyclic swcep voltammetry.

#### SUMMARY

Bipotentiometric titrations of various polynuclear aromatic hydrocarbons, benzenes substituted with electron-donating groups, and  $\pi$ -excessive heteroaromatics in trifluoroacetic acid-dichloromethane with lead(IV) or cobalt(III) acetate solution resulted in novel titration curves. Optimum qualitative results were obtained with a 15-sec delay between additions of titrant. Each reagent increment usually resulted in the formation of a potential "saw-tooth", indicating formation and decay of reversible redox couples; the final titration curves had one or more potential minima regions before the end-point. Because of considerable differences in number, reversibility and stability of oxidation intermediates, no two aromatics of those tested gave identical curves. However, sufficient similarities existed to permit a system of curve classification and some degree of correlation. The technique is at present essentially a qualitative one. In aimost all instances the titration curve for a given arematic compound is characteristic, somewhat in the manner of a spectrophotometric curve.

#### RÉSUMÉ

Une étude est effectuée sur les titrages bipotentiométriques de divers hydrocarbures aromatiques polynucléaires, de benzènes substitués et de composés hétéroaromatiques, dans le milieu acide trifluoroacétique-dichlorométhane, à l'aide de solutions d'acétate de plon. b(IV) et de cobalt(III). Cette technique est actuellement essentiellement qualitative. Dans presque chaque cas, la courbe de titrage est caractéristique pour un composé aromatique donné, une peu à la manière d'une courbe spectrophotométrique.

#### ZUSAMMENFASSUNG

Verschiedene mehrkernige aromatische Kohlenwasserstoffe, mit Elektronen-

Anal Chin Ada, 52 (1970) 537-544

donor-Gruppen substituierte Benzole und r-elektronenreiche Heteroaromaten wurden in Trifluoressigsäure-Dichlormethan mit Blei(1V)- oder Kobalt(111)-acetat-Lösung bipotentiometrisch titriert. Es ergaben sich neuartige Titrationskurven. Optimale qualitative Ergebnisse wurden erhalten, wenn das Titrationsmittel in Abständen von 15 sec zugegeben wurde. Jede Reagenzzugabe führte normalerweise zu einer sägezalmförmigen Potentialveränderung, die Bildung und Zerfali reversibler Redoxpaare anzeigte. Die schliesslich erhaltenen Titrationskurven hatten vor dem Endpunkt einen oder mehrere Bereiche mit Potentialminima. Wegen der erheblichen Unterschiede in der Anzahl, Reversibilität und Stabilität der Oxidationszwischenstufen waren unter den untersuchten Aromaten keine mit identischen Tityationskurven. Dagegen waren genügend Ähnlichkeiten vorhanden, die ein System der Kurvenklassitizierung erlaubten und in gewissem Grade Beziehungen erkennen liessen. Das Verfahren ist gegenwärtig im wesentlichen für qualitative Zwecke anwendbar. Bei fast allen Beispielen ist die Titrationskurve für eine gegebene aromatische Verbindung charakteristisch, etwa in der Art einer spektrophotometrischen Kurve.

#### REFERENCES

- 1 H. W. YUROW AND S. SASS, Microchem. J., 12 (1967) 207.
- 2 H. W. YUROW AND S. SASS, Microchem. J., 15 (1970) 285.
- 3 R. M. DESSAC, S. SHUR AND E. J. HERBA, L. Amer . Chem. Soc., 92 (1970) 412.
- E. Bisnop. .Inalyst, 83 (1960) 212.
- 5 L. F. Feiser, Experiments in Organic Chewister, and Edn., Heath, Boston, 1941, pp. 136-440.
- E. Hecker and K. Lattigill, Ann. Chem., 662 (1963) 48.
   J. Bessiere, Buil. Soc Chim. France, (1959) 3350.
- 8 R. N. ADAMS, Electrochemistry at Solid Electrodes, Marcel Dekker, New York, 1969. Chap. 10. 9 O. C. MUSGRAVE, Chem. Rev., 49 (1969) 499.
- to R. CRIEGER, in K. B. Widekg. Oxidation in Organic Chemistry, Academic Press, New York, 1965, pp. 288-291. K. H. Pausacker and J. G. Scrotigue, J. Chem. Soc. (1954) 4003.
- E. Bishop, R. G. Dhaneshwar and G. D. Slort, in J. A. Friend and F. Gutman, Proc. First Australian Conference on Electrochemistry, Pergamon, London, 1965, p. 803.
- V. D. PARKER, Chem. Commen., (1969) 848.

Anal. Chim. Arto. 52 (1970) 537-344